
Accessories


protection housing, tread plate and radiator guard



Protection Housing

The housing serves for flexible, economic and easy mounting for many assembly situations. The mechanical stress, especially at mobile applications can be reduced by the used shock absorbers between housing and cooler. The radiator side is protected by a robust grid.





Dimensions

order number	description	А	В	С	D	Е	F	Н	L	М	weight
		[in]	[in]	[in]	[in]	[in]	[in]	[in]	[in]	[in]	[lbs]
ILLEGAKTT07GTU00	protection housing kit TT 07 rail	13.15	16.73	6.77	11.42	11.81	7.48	15.16	9.45	0.79	11.95
ILLEGAKTT11GTU00	protection housing kit TT 11 rail	16.14	18.31	7.87	14.17	14.57	7.48	16.73	9.45	0.98	19.80
ILLEGAKTT16GTU00	protection housing kit TT 16 rail	19.29	23.23	12.05	14.17	17.72	8.27	21.65	10.24	0.98	29.50

Overview


order number	description	fits on cooler type							
		TT 05	TT 07	TT 11	TT 13	TT 16	TT 21	TT 25	TT 36
ILLEGAKTT07GTU00	protection housing kit TT 07 rail	-	•	-	-	-	-	-	-
ILLEGAKTT11GTU00	protection housing kit TT 11 rail	-	-	•	-	-	=	-	-
ILLEGAKTT16GTU00	protection housing kit TT 16 rail	-	=	-	-	•	=	=	-

^{-...} not available

Tread Plate / Radiator Guard

The tread plates are accessories for the asa series cooler types with side frames. The solid plates are used for applications where maintenances and servicing procedures require the cooler as a safe surface to step on. The radiator guard is a solid protection to avoid damages on the radiator air fins and oil channels.





Overview

000.0.00											
order number	description	fits on cooler type									
		ASA 0177	ASA 0257	ASA 0367	ASA 0467*	ASA 0567*	ASA 0927*				
tread plate kit	plate, flat screws;	•	MW20086	MW2089	0	MW05294	0				
radiator guard	grid, screws, washers;	ILLEGIT017SKU00	ILLEGIT025SKU00	ILLEGIT036SKU00	ILLEGIT046SKU00	0	ILLEGITO92SKU00				

^{•...}optional available,

This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dimensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to asa testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by 4-158. All sound values are determined in accordance with ISO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. The reason to that are no existing standardized testing procedures on individual subjects, e.g., for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-44. General tolerances for casted parts according EN ISO 8002-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3002-1 (class M4-FeC). The tolerances of welding seams are defined by quality group D according to BN ISO 10042, if it is not specified on the actual scale drawing or data sheet. Any form of liability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any intrinsic product properties: due to the wide-rang

^{•...} optional available

o...available on request,

^{*...}DC drive versions are not compatible with these accessories