



asa


LowLine 03



LowLine 06



LowLine 08



Characteristics

Corrosion Protection

Delivery Content

This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dimensions and weights may also change, although we do our best to incorporate these changes continually. asa assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. After cooling performance and general technical values indicated in this catalogue are measured at a test bench according to a testing procedure calculated, based on such tests. Due to the complexity and changing environment, the performance may vary. Therefore, the data sheet is not intended to be used for the final product design. The results could be different. Therefore, we recommend all products to be checked under the system operating conditions. This is also true for vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to DIN ISO 2768-VL. General tolerances for casted parts according EN ISO 8062-3 (DCTG 10). Tolerances for rubber parts are according to ISO 3302-1 (class M4-F4). The tolerances of welding seams are defined by quality group D according to EN ISO 10042, if it is not specified on the actual scale drawing or data sheet. In addition to that we point out that any data sheet and corresponding scale drawing is no substitution for the calculated.

DD-IL-EFUSST006K-us-rev-0
 © asa technology April 2021
 page 1/1